PASTORAL AG

IVERLAB LV POUR-ON FOR CATTLE

ACTIVE CONSTITUENT: 10 g/L IVERMECTIN Also contains: 151 g/L DIETHYLENE GLYCOL MONOBUTYL ETHER (solvent)

Pastoral Ag Iverlab LV is an ivermectin based pour-on with a convenient 1ml/20kg dose rate. Will treat ivermectin strains of major internal and external parasite of cattle including gastrointestinal roundworms, lungworm, sucking and biting lice, mites, cattle tick and buffalo fly.

APPLICATOR

Pastoral Ag 30ml Variable Applicator – Pour on Nozzle.

WITHHOLDING PERIODS

MEAT: DO NOT USE less than 42 days before slaughter for human consumption. MILK: Zero (0) days. ESI: DO NOT use less than 42 days before slaughter for export.

STORAGE

Store below 30°C (room temperature).

COMPARABLE PRODUCT

Baymec LV Pour-On for Cattle.

DOSING & ADMINISTRATION

The recommended dose rate for PASTORAL AG Iverlab LV is 1 mL/20 kg body weight. Apply along the topline of the animal.

LIVEWEIGHT (KG)	DOSE VOLUME (ML)	TREATMENTS PER PACK 2.5 L	TREATMENTS PER PACK 10 L
51 – 100	5.0	500	2000
101 – 150	7.5	333	1333
151 – 200	10.0	250	1000
201 – 250	12.5	200	800
251 – 300	15.0	166	666
301 – 350	17.5	142	571
351 – 400	20.0	125	500
401 – 450	22.5	111	444
451 – 500	25.0	100	400
501 – 550	27.5	90	363
551 – 600	30.0	83	333
601 – 650	32.5	76	307

IVERMECTIN POWER

•



AVAILABLE SIZES 2.5 L | 10 L

For more information, visit pastoralag.com.au For product enquiries, email us at enquiries@pastoralag.com.au or call us on (03) 5820 8444

Baymec is a registered trade mark of Bayer AG

EXCLUSIVELY AVAILABLE FROM *Elders*



2.51

CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS REFORE OPENING OP USIN





ACTIVE CONSTITUENT: 10 g/L IVERMECTIN p contains: 151 g/L DIETHYLENE GLYCOL MONOBUTYL ETHER (solve For the treatment and control of ivermectin-sensitive internal and enternal events of the solution of the s



🔲 MADE IN AUSTRALIA