

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS  
FOR ANIMAL TREATMENT ONLY

# DORAMAX<sup>®</sup>

INJECTABLE ENDECTOCIDE



ACTIVE CONSTITUENT: 10 mg/mL Doramectin  
**500 mL**

For the treatment and control of doramectin sensitive internal and external parasites of cattle and pigs.

Read the carton for full instructions.

## DIRECTIONS FOR USE

### Restraints:

**DO NOT USE** in cattle during lactation or less than 60 days before calving when milk or milk products are to be used for human consumption or processing.

**DO NOT USE** in animals within 28 days (4 weeks) of a previous treatment.

### Dosage and Administration:

Use contents within 28 days of first broaching of the vial. Store upright. Discard the unused portion. Use a multi-dose syringe for multiple treatments to minimise the number of broachings.

### DOSE RATE – CATTLE

1 mL per 50 kg of bodyweight SC

### DOSE RATE – PIGS

1 mL per 33 kg (0.3 mL per 10 kg) of bodyweight IM

Administer into the neck region, preferably high up behind the ear. Refer to the dosage tables on the carton as a guide.

### WITHHOLDING PERIODS

**MEAT:** Cattle - 42 days; Pigs - 35 days.

**MILK:** DO NOT USE in lactating cows or within 60 days of calving.

### TRADE ADVICE

**EXPORT SLAUGHTER INTERVAL (ESI):** 42 days.

### SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin when using the product wear rubber gloves. Wash hands after use. After each day's use, wash gloves.

### FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

### ADDITIONAL USER SAFETY

Additional information is listed in the safety data sheet.

### ENVIRONMENTAL PROTECTION

Doramectin is extremely toxic to aquatic species. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container. When used according to the label instructions, DORAMAX is not likely to have an unintended effect that is harmful to the environment or have an overall adverse impact on dung beetle populations. Increased mortality and impaired development of larvae may be expected, but for a limited period after treatment.

**DISPOSAL** Dispose of container by wrapping with paper and putting in garbage.

**STORAGE** Store below 30°C (room temperature).

Wash contacted areas thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
**IF SWALLOWED:** Call a POISON CENTRE or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.  
Protect from sunlight.  
Store in a dry place. Store in a closed container.

BATCH:

EXPIRY:

23549F-3